

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### **1.1 Product identifier:** FRANGRANCE OIL-ABSINTHE

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Raw materials for the cosmetics and pharmaceuticals industries

Uses advised against: All uses not specified in this section or in section 7.3

### 1.3 Details of the supplier of the safety data sheet:

Fleurs d'Arômes 3A, Avenue Berton 7333 Tertre - Hainaut - Belgique Phone.: 0032479433347 fleursdaromes@hotmail.com https://www.fleursdaromes.be/

1.4 Emergency telephone number: Centre antipoisons: 070/245.245

#### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture:

#### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Acute 1: Hazardous to the aquatic environment, acute hazard, Category 1, H400 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard, Category 1, H410 Carc. 1B: Carcinogenicity, Category 1B, H350 Eye Irrit. 2: Eye irritation, Category 2, H319 Muta. 2: Germ cell mutagenicity, Category 2, H341 Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1B: Sensitisation, skin, Category 1B, H317

#### 2.2 Label elements:

#### CLP Regulation (EC) No 1272/2008:

Danger



#### Hazard statements:

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects Carc. 1B: H350 - May cause cancer Eye Irrit. 2: H319 - Causes serious eye irritation Muta. 2: H341 - Suspected of causing genetic defects Skin Irrit. 2: H315 - Causes skin irritation Skin Sens. 1B: H317 - May cause an allergic skin reaction **Precautionary statements:** P101: If medical advice is needed, have product container or label at hand P102: Keep out of reach of children

P264: Wash thoroughly after handling

P280: Wear protective gloves/protective clothing/eye protection/face protection

P302+P352: IF ON SKIN: Wash with plenty of water

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P308+P313: IF exposed or concerned: Get medical advice/attention

P501: Dispose of contents/container according to the separated collection system used in your municipality

## Supplementary information:

Contains Cinnamomum zeylanicum, ext., Cinnamyl alcohol, Linalyl acetate, Orange, sweet, ext., A-methylcinnamaldehyde

### Substances that contribute to the classification

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (CAS: 54464-57-2); Benzyl salicylate (CAS: 118-58-1); Linalool (CAS: 78-70-6); Cedryl methyl ketone (CAS: 32388-55-9)

# Additional Labelling (Annex XVII, REACH):

Restricted to professional users



# SECTION 2: HAZARDS IDENTIFICATION (continued)

# Acute Toxicity Estimate (ATE mix):

29,63 % (oral) of the mixture consists of ingredient(s) of unknown toxicity

# 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substance:

Non-applicable

# 3.2 Mixture:

### Chemical description: Mixture of substances

### **Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification		Chemical name/Classification	Concentratio
CAS: 120-51-4 EC: 204-402-9 index: 607-085-00-9 REACH 01-2119976371-33-XXXX	Benzyl benzoate <sup>(1)</sup> Regulation 1272/2008	Self-classified Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 2: H411 - Warning	20 - <40 %
CAS: 54464-57-2	1-(1,2,3,4,5,6,7,8-octahy	dro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one <sup>(1)</sup>	
EC: 259-174-3 Index: Non-applicable REACH Non-applicable	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Irrit. 2: H315; Skin Sens. 1B: H317 -	5 - <20 %
CAS: 118-58-1	Benzyl salicylate <sup>(1)</sup>	Self-classified	
EC: 204-262-9 Index: Non-applicable REACH 01-2119969442-31-XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Sens. 1B: H317 - Warning	5 - <20 %
CAS: 78-70-6	Linalool <sup>(1)</sup>	Self-classified	
EC: 201-134-4 Index: 603-235-00-2 REACH 01-2119474016-42-XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	5 - <20 %
CAS: 115-95-7	Linalyl acetate <sup>(1)</sup>	Self-classified	
EC: 204-116-4 Index: Non-applicable REACH 01-2119454789-19-XXXX :	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	5 - <20 %
CAS: 101-39-3	A-methylcinnamaldehyde <sup>(1)</sup> Self-classified		
EC: 202-938-8 Index: Non-applicable REACH 01-2119538797-21-XXXX	Regulation 1272/2008	Skin Sens. 1: H317 - Warning	5 - <20 %
CAS: 32388-55-9	Cedryl methyl ketone <sup>(1)</sup>	Self-classified	
EC: 251-020-3 Index: Non-applicable REACH 01-2119969651-28-XXXX :	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Sens. 1B: H317 - Warning	5 - <20 %
CAS: 68647-72-3	Orange, sweet, ext. <sup>(1)</sup>	Self-classified	
EC: 232-433-8 Index: Non-applicable REACH 01-2119493353-35-XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	5 - <20 %
CAS: 104-54-1	Cinnamyl alcohol <sup>(1)</sup>	Self-classified	
EC: 203-212-3 Index: Non-applicable REACH 01-2119934496-29-XXXX :	Regulation 1272/2008	Skin Sens. 1B: H317 - Warning	2 - <5 %
CAS: 8015-91-6	Cinnamomum zeylanicum, ext. <sup>(1)</sup> Self-classified		
EC: 283-479-0 Index: Non-applicable REACH 01-2119487278-23-XXXX :	Regulation 1272/2008	Aquatic Chronic 3: H412; Carc. 1B: H350; Eye Irrit. 2: H319; Muta. 2: H341; Skin Sens. 1: H317 - Danger	2 - <5 %
CAS: 121-32-4	3-ethoxy-4-hydroxyben	zaldehyde <sup>(1)</sup> Self-classified	
EC: 204-464-7 Index: Non-applicable REACH 01-2119958961-24-XXXX	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	2 - <5 %

To obtain more information on the hazards of the substances consult sections 8, 11, 12, 15 and 16.



### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

# By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist. **By skin contact:** 

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

# 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

# SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use full jet water as an extinguishing agent.

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### **Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

### 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

#### 6.3 Methods and material for containment and cleaning up:

#### It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.



### SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

#### 6.4 Reference to other sections:

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Avoid splashes and pulverizations. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

### 7.2 Conditions for safe storage, including any incompatibilities:

- A.- Technical measures for storage
  - Minimum Temp.:5 °CMaximum Temp.:20 °CMaximum time:18 Months
- B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace

There are no occupational exposure limits for the substances contained in the product

#### **DNEL (Workers):**

Identification		Shor	t exposure	Long exposure	
		Systemic	Local	Systemic	Local
Benzyl benzoate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 120-51-4	Dermal	Non-applicable	Non-applicable	2,6 mg/kg	Non-applicable
EC: 204-402-9	Inhalation	102 mg/m <sup>3</sup>	Non-applicable	5,1 mg/m <sup>3</sup>	Non-applicable
Benzyl salicylate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 118-58-1	Dermal	Non-applicable	Non-applicable	0,9 mg/kg	Non-applicable
EC: 204-262-9	Inhalation	Non-applicable	Non-applicable	3,17 mg/m <sup>3</sup>	Non-applicable
Linalool	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 78-70-6	Dermal	5 mg/kg	Non-applicable	2,5 mg/kg	Non-applicable
EC: 201-134-4	Inhalation	16,5 mg/m <sup>3</sup>	Non-applicable	2,8 mg/m <sup>3</sup>	Non-applicable
Linalyl acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 115-95-7	Dermal	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
EC: 204-116-4	Inhalation	Non-applicable	Non-applicable	2,75 mg/m <sup>3</sup>	Non-applicable



# FRANGRANCE OIL-ABSINTHE

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

	Shor	t exposure	Long exposure		
Identification		Systemic	Local	Systemic	Local
A-methylcinnamaldehyde	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 101-39-3	Dermal	Non-applicable	Non-applicable	2,21 mg/kg	Non-applicable
EC: 202-938-8	Inhalation	Non-applicable	Non-applicable	13,3 mg/m <sup>3</sup>	13,3 mg/m <sup>3</sup>
Cedryl methyl ketone	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 32388-55-9	Dermal	Non-applicable	Non-applicable	0,333 mg/kg	Non-applicable
EC: 251-020-3	Inhalation	Non-applicable	Non-applicable	1,175 mg/m <sup>3</sup>	Non-applicable
Orange, sweet, ext.	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 68647-72-3	Dermal	Non-applicable	Non-applicable	8,89 mg/kg	Non-applicable
EC: 232-433-8	Inhalation	Non-applicable	Non-applicable	31,1 mg/m <sup>3</sup>	Non-applicable
Cinnamyl alcohol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 104-54-1	Dermal	Non-applicable	Non-applicable	1,997657895 mg/kg	Non-applicable
EC: 203-212-3	Inhalation	Non-applicable	Non-applicable	2,27733 mg/m <sup>3</sup>	Non-applicable

# DNEL (General population):

		Shor	t exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
Benzyl benzoate	Oral	78 mg/kg	Non-applicable	0,4 mg/kg	Non-applicable
CAS: 120-51-4	Dermal	Non-applicable	Non-applicable	1,3 mg/kg	Non-applicable
EC: 204-402-9	Inhalation	25 mg/m <sup>3</sup>	Non-applicable	1,25 mg/m <sup>3</sup>	Non-applicable
Benzyl salicylate	Oral	Non-applicable	Non-applicable	0,45 mg/kg	Non-applicable
CAS: 118-58-1	Dermal	Non-applicable	Non-applicable	0,45 mg/kg	Non-applicable
EC: 204-262-9	Inhalation	Non-applicable	Non-applicable	0,78 mg/m <sup>3</sup>	Non-applicable
Linalool	Oral	1,2 mg/kg	Non-applicable	0,2 mg/kg	Non-applicable
CAS: 78-70-6	Dermal	2,5 mg/kg	Non-applicable	1,25 mg/kg	Non-applicable
EC: 201-134-4	Inhalation	4,1 mg/m <sup>3</sup>	Non-applicable	0,7 mg/m <sup>3</sup>	Non-applicable
Linalyl acetate	Oral	Non-applicable	Non-applicable	0,2 mg/kg	Non-applicable
CAS: 115-95-7	Dermal	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable
EC: 204-116-4	Inhalation	Non-applicable	Non-applicable	0,68 mg/m <sup>3</sup>	Non-applicable
A-methylcinnamaldehyde	Oral	Non-applicable	Non <mark>-appli</mark> cable	1,1 mg/kg	Non-applicable
CAS: 101-39-3	Dermal	Non-applicable	Non-applicable	1,11 mg/kg	Non-applicable
EC: 202-938-8	Inhalation	Non-applicable	Non-applicable	3,27 mg/m <sup>3</sup>	3,27 mg/m3
Cedryl methyl ketone	Oral	Non-applicable	Non-applicable	0,166 mg/kg	Non-applicable
CAS: 32388-55-9	Dermal	Non-applicable	Non-applicable	0,166 mg/kg	Non-applicable
EC: 251-020-3	Inhalation	Non-applicable	N <mark>on</mark> -applicable	0,289 mg/m <sup>3</sup>	Non-applicable
Orange, sweet, ext.	Oral	Non-applicable	Non-applicable	4,44 mg/kg	Non-applicable
CAS: 68647-72-3	Dermal	Non-applicable	Non-applicable	4,44 mg/kg	Non-applicable
EC: 232-433-8	Inhalation	Non-applicable	Non-applicable	7,78 mg/m <sup>3</sup>	Non-applicable
Cinnamyl alcohol	Oral	Non-applicable	Non-applicable	3,995315789 mg/kg	Non-applicable
CAS: 104-54-1	Dermal	Non-applicable	Non-applicable	0,492608696 mg/kg	Non-applicable
EC: 203-212-3	Inhalation	Non-applicable	Non-applicable	0,5665 mg/m <sup>3</sup>	Non-applicable
PNEC:		1.1			
Identification					
Benzyl benzoate	STP	100 mg/L	Fresh water	0,0	168 mg/L
CAS: 120-51-4	Soil	2,12 mg/kg	Marine water	0,0	0168 mg/L
EC: 204-402-9	Intermittent	Non-applicable	Sediment (Fresh	water) 10,	66 mg/kg
	Oral	Non-applicable	Sediment (Marin	ne water) 1,0	7 mg/kg
Benzyl salicylate	STP	10 mg/L	Fresh water	0,0	0103 mg/L
CAS: 118-58-1	Soil	0,021 mg/kg	Marine water	0,0	00103 mg/L
EC: 204-262-9	Intermittent	0,0103 mg/L	Sediment (Fresh	water) 0,5	84 mg/kg
	Oral	80 g/kg	Sediment (Marin	e water) 0,0	584 mg/kg



# FRANGRANCE OIL-ABSINTHE

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
Linalool	STP	10 mg/L	Fresh water	0,2 mg/L
CAS: 78-70-6	Soil	0,327 mg/kg	Marine water	0,02 mg/L
EC: 201-134-4	Intermittent	2 mg/L	Sediment (Fresh water)	2,22 mg/kg
	Oral	7,8 g/kg	Sediment (Marine water)	0,222 mg/kg
Linalyl acetate	STP	10 mg/L	Fresh water	0,011 mg/L
CAS: 115-95-7	Soil	0,115 mg/kg	Marine water	0,0011 mg/L
EC: 204-116-4	Intermittent	0,11 mg/L	Sediment (Fresh water)	0,609 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0609 mg/kg
A-methylcinnamaldehyde	STP	3,66 mg/L	Fresh water	0,0012 mg/L
CAS: 101-39-3	Soil	0,0071 mg/kg	Marine water	0,00012 mg/L
EC: 202-938-8	Intermittent	0,012 mg/L	Sediment (Fresh water)	0,0404 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00404 mg/kg
Cedryl methyl ketone	STP	10 mg/L	Fresh water	0,00174 mg/L
CAS: 32388-55-9	Soil	4,87 mg/kg	Marine water	0,000174 mg/L
EC: 251-020-3	Intermittent	0,0086 mg/L	Sediment (Fresh water)	24,4 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	2,44 mg/kg
Orange, sweet, ext.	STP	2,1 mg/L	Fresh water	0,0054 mg/L
CAS: 68647-72-3	Soil	0,261 mg/kg	Marine water	0,00054 mg/L
EC: 232-433-8	Intermittent	0,00577 mg/L	Sediment (Fresh water)	1,3 mg/kg
	Oral	13,3 g/kg	Sediment (Marine water)	0,13 mg/kg
Cinnamyl alcohol	STP	16,127 mg/L	Fresh water	0,109 mg/L
CAS: 104-54-1	Soil	0,185 mg/kg	Marine water	0,0109 mg/L
EC: 203-212-3	Intermittent	1,09 mg/L	Sediment (Fresh water)	220,1880224 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	220,1880224 mg/kg
3-ethoxy-4-hydroxybenzaldehyde	STP	10 mg/L	Fresh water	0,118 mg/L
CAS: 121-32-4	Soil	2,923 mg/kg	Marine water	0,0118 mg/L
EC: 204-464-7	Intermittent	Non-applicable	Sediment (Fresh water)	15 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	1,5 mg/kg

### 8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks			
Mandatory respiratory tract protection	Filter mask for gases and vapours	CATI	EN 405:2001+A1:2009	Replace when there is a taste or smell of the contaminan inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment			
Specific protection for the hands							
Pictogram	PPE	Labelling	CEN Standard	Remarks			
Mandatory hand protection	NON-disposable chemical protective gloves	CAT III	EN 374-1:2003 EN 374-3:2003/AC:2006 EN 420:2003+A1:2009	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.			

- and has therefore to be checked prior to the application"
- D.- Ocular and facial protection



# FRANGRANCE OIL-ABSINTHE

	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory face protection	Face shield	CAT II	EN 166:2001 EN 167:2001 EN 168:2001 EN ISO 4007:2018	Clean daily and disinfect periodically according to th manufacturer's instructions. Use if there is a risk of splashing.
E	Body protection				
	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory complete body protection	Disposable clothing for protection against chemical risks		EN 13034:2005+A1:2009 EN 168:2001 EN ISO 13982-1:2004/A1:2010 EN ISO 6529:2001 EN ISO 6530:2005 EN 464:1994	For professional use only. Clean periodically accordin to the manufacturer's instructions.
	Mandatory foot protection	Safety footwear for protection against chemical risk	CATI	EN ISO 20345:2011 EN 13832-1:2006	Replace boots at any sign of deterioration.
F	Additional emerger	ncy measures		10 C 10 C	
	Emergency mea	asure Sta	andards	Emergency measur	e Standards
	Emergency sho	ISO 3864-1:201	SI Z358-1 11, ISO 3864-4:20	111 Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D **Volatile organic compounds:** 

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	14,81 % weight
V.O.C. density at 20 °C:	151,8 kg/m <sup>3</sup> (151,8 g/L)
Average carbon number:	10
Average molecular weight:	145,25 g/mol
and the second	

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

For complete information see the product data	sheet	
	Slicel.	
Appearance:		
Physical state at 20 °C:	Liquid	
Appearance:	Not available	
Colour:	Yellow	
Odour:	Not available	
Odour threshold:	Non-applicable *	
Volatility:		
Boiling point at atmospheric pressure:	263 °C	
Vapour pressure at 20 °C:	14 Pa	
Vapour pressure at 50 °C:	117,01 Pa (0,12 kPa)	
Evaporation rate at 20 °C:	Non-applicable *	
Product description:		
Density at 20 °C:	1024,7 kg/m <sup>3</sup>	



# FRANGRANCE OIL-ABSINTHE

SECTION 9: PHYSICAL AND CHEMICAL PROP	ERTIES (continued)
Relative density at 20 °C:	1,025
Dynamic viscosity at 20 °C:	1,8 cP
Kinematic viscosity at 20 °C:	1,76 cSt
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	Non-applicable *
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *
Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
Flammability:	
Flash Point:	85 °C
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	235 °C
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *
Explosive:	
Lower explosive limit:	Non-applicable *
Upper explosive limit:	Non-applicable *
9.2 Other information:	
Surface tension at 20 °C:	Non-applicable *
Refraction index:	Non-applicable *
*Not relevant due to the nature of the product, not providing infor	mation property of its hazards.

# SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity:
10.1	incactivity.

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

### 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

# 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
	Not applicable	Not applicable	Precaution	Precaution	Not applicable
10.5	Incompatible materials:	-	1000		

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

# 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.



### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

#### **Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.

Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Produces skin inflammation.
  - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Exposure to this product can cause cancer. For more specific information on the possible health effects see section 2. IARC: Non-applicable
  - Mutagenicity: Exposure to this product can cause genetic modifications. For more specific information on the possible health effects see section 2.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
- · Cutaneous: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	4	Acute toxicity	
Benzyl benzoate	LD50 oral	1500 mg/kg	Rat
CAS: 120-51-4	LD50 dermal	4000 mg/kg	Rabbit
EC: 204-402-9	LC50 inhalation	Non-applicable	
Benzyl salicylate	LD50 oral	2200 mg/kg	Rat
CAS: 118-58-1	LD50 dermal	14150 mg/kg	Rabbit
EC: 204-262-9	LC50 inhalation	Non-applicable	
Linalool	LD50 oral	3000 mg/kg	Rat
CAS: 78-70-6	LD50 dermal	5610 mg/kg	Rabbit
EC: 201-134-4	LC50 inhalation	Non-applicable	



# FRANGRANCE OIL-ABSINTHE

# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	4	Acute toxicity	
Linalyl acetate	LD50 oral	14500 mg/kg	Rat
CAS: 115-95-7	LD50 dermal	5610 mg/kg	Rabbit
EC: 204-116-4	LC50 inhalation	Non-applicable	
Cinnamomum zeylanicum, ext.	LD50 oral	2650 mg/kg	Rat
CAS: 8015-91-6	LD50 dermal	5500 mg/kg	Rabbit
EC: 283-479-0	LC50 inhalation	Non-applicable	_
A-methylcinnamaldehyde	LD50 oral	2050 mg/kg	Rat
CAS: 101-39-3	LD50 dermal	Non-applicable	
EC: 202-938-8	LC50 inhalation	Non-applicable	
3-ethoxy-4-hydroxybenzaldehyde	LD50 oral	3000 mg/kg	Rat
CAS: 121-32-4	LD50 dermal	Non-applicable	
EC: 204-464-7	LC50 inhalation	Non-applicable	
Cinnamyl alcohol	LD50 oral	2500 mg/kg	Rat
CAS: 104-54-1	LD50 dermal	Non-applicable	
EC: 203-212-3	LC50 inhalation	Non-applicable	

	ATE mix	Ingredient(s) of unknown toxicity
Oral	3562,51 mg/kg (Calculation method)	29,63 %
Dermal	>2000 mg/kg (Calculation method)	Non-applicable
Inhalation	>20 mg/L (4 h) (Calculation method)	Non-applicable

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

### 12.1 Toxicity:

Identification		Acute toxicity	Species	Genus
Benzyl benzoate	LC50	2.32 mg/L (96 h)	Danio rerio	Fish
CAS: 120-51-4	EC50	3.1 mg/L (48 h)	Daphnia magna	Crustace
EC: 204-402-9	EC50	0.36 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	LC50	0.1 - 1 mg/L (96 h)		Fish
CAS: 54464-57-2	EC50	0.1 - 1 mg/L		Crustace
EC: 259-174-3	EC50	0.1 - 1 mg/L		Algae
Benzyl salicylate	LC50	1.03 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 118-58-1	EC50	1.2 mg/L (48 h)	Daphnia magna	Crustace
EC: 204-262-9	EC50	1.3 mg/L (72 h)	Selenastrum capricornutum	Algae
Linalool	LC50	27.8 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 78-70-6	EC50	59 mg/L (48 h)	Daphnia magna	Crustace
EC: 201-134-4	EC50	88.3 mg/L (96 h)	Scenedesmus subspicatus	Algae
Linalyl acetate	LC50	11 mg/L (96 h)	Cyprinus carpio	Fish
CAS: 115-95-7	EC50	15 mg/L (48 h)	Daphnia magna	Crustace
EC: 204-116-4	EC50	62 mg/L (72 h)	Desmodesmus subspicatus	Alga
Cedryl methyl ketone	LC50	0.1 - 1 mg/L (96 h)		Fish
CAS: 32388-55-9	EC50	0.1 - 1 mg/L		Crustace
EC: 251-020-3	EC50	0.1 - 1 mg/L		Algae
Orange, sweet, ext.	LC50	0.1 - 1 mg/L (96 h)		Fish
CAS: 68647-72-3	EC50	0.1 - 1 mg/L		Crustac
EC: 232-433-8	EC50	0.1 - 1 mg/L		Algae
Cinnamomum zeylanicum, ext.	LC50	10 - 100 mg/L (96 h)		Fish
CAS: 8015-91-6	EC50	10 - 100 mg/L		Crustac
EC: 283-479-0	EC50	10 - 100 mg/L		Algae



# **FRANGRANCE OIL-ABSINTHE**

# SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	D	Degradability		degradability
Benzyl benzoate	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 120-51-4	COD	Non-applicable	Period	28 days
EC: 204-402-9	BOD5/COD	Non-applicable	% Biodegradable	94 %
Benzyl salicylate	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 118-58-1	COD	Non-applicable	Period	28 days
EC: 204-262-9	BOD5/COD	Non-applicable	% Biodegradable	93 %
Linalool	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 78-70-6	COD	Non-applicable	Period	28 days
EC: 201-134-4	BOD5/COD	0.55	% Biodegradable	90 %
Linalyl acetate	BOD5	Non-applicable	Concentration	81 mg/L
CAS: 115-95-7	COD	Non-applicable	Period	28 days
EC: 204-116-4	BOD5/COD	Non-applicable	% Biodegradable	80 %

#### **Bioaccumulative potential:** 12.3

Identification		Bioaccumulation potential		
Benzyl benzoate	BCF	193		
CAS: 120-51-4	Pow Log	4		
EC: 204-402-9	Potential	High		
Benzyl salicylate	BCF	311		
CAS: 118-58-1	Pow Log	4		
EC: 204-262-9	Potential	High		
Linalool	BCF	39		
CAS: 78-70-6	Pow Log	2.97		
EC: 201-134-4	Potential	Moderate		
Linalyl acetate	BCF	174		
CAS: 115-95-7	Pow Log	3.9		
EC: 204-116-4	Potential	High		

#### 12.4 Mobility in soil:

Identification	Abso	orption/desorption	Volatility	
Benzyl benzoate	Koc	6310	Henry	Non-applicable
CAS: 120-51-4	Conclusion	Immobile	Dry soil	Non-applicable
EC: 204-402-9	Surface tension	4,626E-2 N/m (25 °C)	Moist soil	Non-applicable
Benzyl salicylate	Koc	5600	Henry	Non-applicable
CAS: 118-58-1	Conclusion	Immobile	Dry soil	Non-applicable
EC: 204-262-9	Surface tension	Non-applicable	Moist soil	Non-applicable
Linalyl acetate	Koc	518	Henry	177 Pa·m³/mol
CAS: 115-95-7	Conclusion	Low	Dry soil	Yes
EC: 204-116-4	Surface tension	Non-applicable	Moist soil	Yes
3-ethoxy-4-hydroxybenzaldehyde	Koc	Non-applicable	Henry	Non-applicable
CAS: 121-32-4	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 204-464-7	Surface tension	1,87E-2 N/m (276,18 °C)	Moist soil	Non-applicable

#### 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

Other adverse effects: 12.6

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous



# SECTION 13: DISPOSAL CONSIDERATIONS (continued)

### Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP6 Acute Toxicity, HP7 Carcinogenic, HP11 Mutagenic, HP13 Sensitising, HP4 Irritant — skin irritation and eye damage

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

# Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

# SECTION 14: TRANSPORT INFORMATION

# Transport of dangerous goods by land:

With regard to ADR 2019 and RID 2019:

	14.1	UN number:	UN3082
	14.2	UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)
9	14.3	Transport hazard class(es):	9
v v		Labels:	9
	14.4	Packing group:	III
	14.5	Environmental hazards:	Yes
	14.6	Special precautions for user	A COLOR OF CASE
		Special regulations:	274, 335, 375, 601
		Tunnel restriction code:	Non-applicable
		Physico-Chemical properties:	see section 9
		Limited quantities:	5 L
	14.7	Transport in bulk according to	Non-applicable
		Annex II of Marpol and the IBC Code:	
Transport of dans	TOPOUS		
With regard to IMI	DG 38-	16:	
	14.1	UN number:	UN3082
	14.2	UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)
	14.3	Transport hazard class(es):	9
9		Labels:	9
	14.4	Packing group:	III
	14.5	Environmental hazards:	Yes
	14.6	Special precautions for user	
		Special regulations:	335, 969, 274
		EmS Codes:	F-A, S-F
		Physico-Chemical properties:	see section 9
		Limited quantities:	5 L
		Segregation group:	Non-applicable
	14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable
Transport of dans	rous		
With regard to IAT	A/ICA	O 2019:	



# FRANGRANCE OIL-ABSINTHE

### SECTION 14: TRANSPORT INFORMATION (continued)

14.1	UN number: UN proper shipping name:	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)
14.3	Transport hazard class(es):	9
	Labels:	9
14.4	Packing group:	III
14.5	Environmental hazards:	Yes
14.6	Special precautions for user	
	Physico-Chemical properties:	see section 9
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

# Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements			
E1		100	200			
T :	Limitations to commencialization and the use of contain demonstrate substances and minteres (Amere VVII DEACH. etc. )					

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Product classified hazardous under the CMR. Sale and distribution to the general public is prohibited. Due to its CMR category, it is essential to apply the specific measures for workplace hazard prevention covered in articles 4 and 5 of the 2004/37/EC Directive and later modifications. Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product. Other legislation:

The product could be affected by sectorial legislation

**Other information:** 

UFI:V690-90EH-K00D-MF6K

### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

### SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

#### Non-applicable Texts of the legislative phrases mentioned in section 2:

#### H400: Very toxic to aquatic life

- H410: Very toxic to aquatic life with long lasting effects
- H315: Causes skin irritation
- H317: May cause an allergic skin reaction
- H341: Suspected of causing genetic defects
- H350: May cause cancer
- H319: Causes serious eye irritation

### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3



### SECTION 16: OTHER INFORMATION (continued)

#### CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed Aquatic Acute 1: H400 - Very toxic to aquatic life Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways Carc. 1B: H350 - May cause cancer Eye Irrit. 2: H319 - Causes serious eye irritation Flam. Liq. 3: H226 - Flammable liquid and vapour Muta. 2: H341 - Suspected of causing genetic defects Skin Irrit. 2: H315 - Causes skin irritation Skin Sens. 1: H317 - May cause an allergic skin reaction Skin Sens. 1B: H317 - May cause an allergic skin reaction

### **Classification procedure:**

Aquatic Acute 1: Calculation method Aquatic Chronic 1: Calculation method Skin Irrit. 2: Calculation method Skin Sens. 1B: Calculation method Muta. 2: Calculation method Carc. 1B: Calculation method Eye Irrit. 2: Calculation method

### Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:** http://echa.europa.eu

http://eur-lex.europa.eu

#### Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient

Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.