

FRAGRANCE OIL - PLUMERIA

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** FRAGRANCE OIL - PLUMERIA
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
Relevant uses: Raw materials for the cosmetics and pharmaceuticals industries
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**
Fleurs d'Arômes
3A, Avenue Berton
7333 Tertre - Hainaut - Belgique
Phone.: 0032479433347
fleursdaromes@hotmail.com
<https://www.fleursdaromes.be/>
- 1.4 Emergency telephone number:** Centre antipoisons: 070/245.245

SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture:**
CLP Regulation (EC) No 1272/2008:
Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
Acute Tox. 3: Acute inhalation toxicity, Category 3, H331
Acute Tox. 4: Acute toxicity if swallowed, Category 4, H302
Aquatic Acute 1: Hazardous to the aquatic environment, acute hazard, Category 1, H400
Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411
Eye Irrit. 2: Eye irritation, Category 2, H319
Skin Sens. 1B: Sensitisation, skin, Category 1B, H317

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger



Hazard statements:

Acute Tox. 3: H331 - Toxic if inhaled
Acute Tox. 4: H302 - Harmful if swallowed
Aquatic Acute 1: H400 - Very toxic to aquatic life
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects
Eye Irrit. 2: H319 - Causes serious eye irritation
Skin Sens. 1B: H317 - May cause an allergic skin reaction

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand
P102: Keep out of reach of children
P264: Wash thoroughly after handling
P280: Wear protective gloves/protective clothing/eye protection/face protection
P302+P352: IF ON SKIN: Wash with plenty of water
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P501: Dispose of contents/container according to the separated collection system used in your municipality

Supplementary information:

Contains 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra, 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one, Allyl 3-cyclohexylpropionate, Benzyl cinnamate, Cedryl methyl ketone, Coumarin, d-limonene, Geraniol, Hexyl salicylate, Linalool

Substances that contribute to the classification

Benzyl benzoate (CAS: 120-51-4); Benzyl salicylate (CAS: 118-58-1); Hexyl cinnam-aldehyde (CAS: 101-86-0); 4-tert-butylcyclohexyl acetate (CAS: 32210-23-4)

Acute Toxicity Estimate (ATE mix):

24,43 % (oral), 35,03 % (dermal), 91,28 % (inhalation) of the mixture consists of ingredient(s) of unknown toxicity

- CONTINUED ON NEXT PAGE -



FRAGRANCE OIL - PLUMERIA

SECTION 2: HAZARDS IDENTIFICATION (continued)

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture of substances

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification		Concentration
CAS: 120-51-4 EC: 204-402-9 Index: 607-085-00-9 REACH 01-2119976371-33-XXXX :	Benzyl benzoate⁽¹⁾ Self-classified		20 - <40 %
	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 2: H411 - Warning	
CAS: 118-58-1 EC: 204-262-9 Index: Non-applicable REACH 01-2119969442-31-XXXX :	Benzyl salicylate⁽¹⁾ Self-classified		5 - <20 %
	Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Sens. 1B: H317 - Warning	
CAS: 101-86-0 EC: 202-983-3 Index: Non-applicable REACH Non-applicable :	Hexyl cinnam-aldehyde⁽¹⁾ Self-classified		5 - <20 %
	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning	
CAS: 32210-23-4 EC: 250-954-9 Index: Non-applicable REACH 01-2119976286-24-XXXX :	4-tert-butylcyclohexyl acetate⁽¹⁾ Self-classified		5 - <20 %
	Regulation 1272/2008	Skin Sens. 1B: H317 - Warning	
CAS: 2705-87-5 EC: 220-292-5 Index: Non-applicable REACH 01-2119976355-27-XXXX :	Allyl 3-cyclohexylpropionate⁽¹⁾ Self-classified		2 - <5 %
	Regulation 1272/2008	Acute Tox. 4: H302+H312+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Sens. 1: H317 - Warning	
CAS: 54464-57-2 EC: 259-174-3 Index: Non-applicable REACH Non-applicable :	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8-tetramethyl-2-naphthyl)ethan-1-one⁽¹⁾ Self-classified		2 - <5 %
	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	
CAS: 5989-27-5 EC: 227-813-5 Index: Non-applicable REACH 01-2119529223-47-XXXX :	d-limonene⁽¹⁾ Self-classified		2 - <5 %
	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 3: H412; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	
CAS: 4940-11-8 EC: 225-582-5 Index: Non-applicable REACH 01-2120758795-36-XXXX :	2-ethyl-3-hydroxy-4-pyrone⁽¹⁾ Self-classified		2 - <5 %
	Regulation 1272/2008	Acute Tox. 4: H302 - Warning	
CAS: 67634-00-8 EC: 266-803-5 Index: Non-applicable REACH 01-2120795456-39-XXXX :	Allyl (3-methylbutoxy)acetate⁽¹⁾ Self-classified		2 - <5 %
	Regulation 1272/2008	Acute Tox. 4: H302; Skin Irrit. 2: H315 - Warning	
CAS: 142-19-8 EC: 205-527-1 Index: Non-applicable REACH 01-2119488961-23-XXXX :	Allyl heptanoate⁽¹⁾ Self-classified		2 - <5 %
	Regulation 1272/2008	Acute Tox. 3: H301+H311+H331; Aquatic Acute 1: H400; Aquatic Chronic 3: H412 - Danger	
CAS: 78-70-6 EC: 201-134-4 Index: 603-235-00-2 REACH 01-2119474016-42-XXXX :	Linalool⁽¹⁾ ATP ATP10		1 - <2 %
	Regulation 1272/2008	Skin Sens. 1B: H317 - Warning	
CAS: 100-51-6 EC: 202-859-9 Index: 603-057-00-5 REACH 01-2119492630-38-XXXX :	Benzyl alcohol⁽¹⁾ ATP CLP00		1 - <2 %
	Regulation 1272/2008	Acute Tox. 4: H302+H332 - Warning	

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

- CONTINUED ON NEXT PAGE -



FRAGRANCE OIL - PLUMERIA

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Identification	Chemical name/Classification		Concentration
CAS: 134-20-3 EC: 205-132-4 Index: Non-applicable REACH 01-2119969651-44-XXXX :	Methyl anthranilate ⁽¹⁾ Self-classified		1 - <2 %
	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	
CAS: 32388-55-9 EC: 251-020-3 Index: Non-applicable REACH 01-2119969651-28-XXXX :	Cedryl methyl ketone ⁽¹⁾ Self-classified		1 - <2 %
	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Sens. 1B: H317 - Warning	
CAS: 6259-76-3 EC: 228-408-6 Index: Non-applicable REACH 01-2119638275-36-XXXX :	Hexyl salicylate ⁽¹⁾ Self-classified		1 - <2 %
	Regulation 1272/2008	Aquatic Chronic 1: H410; Skin Sens. 1B: H317 - Warning	
CAS: 91-64-5 EC: 202-086-7 Index: Non-applicable REACH 01-2119943756-26-XXXX :	Coumarin ⁽¹⁾ Self-classified		<1 %
	Regulation 1272/2008	Acute Tox. 3: H301+H311+H331; Aquatic Chronic 2: H411; Skin Sens. 1: H317 - Danger	
CAS: 127-51-5 EC: 204-846-3 Index: Non-applicable REACH 01-2120138569-45-XXXX :	3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one ⁽¹⁾ Self-classified		<1 %
	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	
CAS: 80-54-6 EC: 201-289-8 Index: Non-applicable REACH 01-2119907954-30-XXXX :	2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra ⁽¹⁾ Self-classified		<1 %
	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Chronic 3: H412; Repr. 2: H361; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	
CAS: 106-24-1 EC: 203-377-1 Index: Non-applicable REACH 01-2119552430-49-XXXX :	Geraniol ⁽¹⁾ Self-classified		<1 %
	Regulation 1272/2008	Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	
CAS: 103-41-3 EC: 203-109-3 Index: Non-applicable REACH 01-2120105065-72-XXXX :	Benzyl cinnamate ⁽¹⁾ Self-classified		<1 %
	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning	

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 8, 11, 12, 15 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

- CONTINUED ON NEXT PAGE -



FRAGRANCE OIL - PLUMERIA

SECTION 4: FIRST AID MEASURES (continued)

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Avoid splashes and pulverizations. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

- CONTINUED ON NEXT PAGE -



FRAGRANCE OIL - PLUMERIA

SECTION 7: HANDLING AND STORAGE (continued)

A.- Technical measures for storage

Minimum Temp.:	5 °C
Maximum Temp.:	20 °C
Maximum time:	18 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace

There are no occupational exposure limits for the substances contained in the product

DNEL (Workers):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	2,6 mg/kg	Non-applicable
	Inhalation	102 mg/m ³	Non-applicable	5,1 mg/m ³	Non-applicable
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,9 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	3,17 mg/m ³	Non-applicable
Allyl 3-cyclohexylpropionate CAS: 2705-87-5 EC: 220-292-5	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	4,3 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	15 mg/m ³	Non-applicable
d-limonene CAS: 5989-27-5 EC: 227-813-5	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Inhalation	Non-applicable	Non-applicable	33,3 mg/m ³	Non-applicable
Allyl heptanoate CAS: 142-19-8 EC: 205-527-1	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	4,7 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	16 mg/m ³	Non-applicable
Linalool CAS: 78-70-6 EC: 201-134-4	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	5 mg/kg	Non-applicable	2,5 mg/kg	Non-applicable
	Inhalation	16,5 mg/m ³	Non-applicable	2,8 mg/m ³	Non-applicable
Benzyl alcohol CAS: 100-51-6 EC: 202-859-9	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	47 mg/kg	Non-applicable	9,5 mg/kg	Non-applicable
	Inhalation	450 mg/m ³	Non-applicable	90 mg/m ³	Non-applicable
Cedryl methyl ketone CAS: 32388-55-9 EC: 251-020-3	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,333 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	1,175 mg/m ³	Non-applicable
Hexyl salicylate CAS: 6259-76-3 EC: 228-408-6	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	20830 mg/kg	Non-applicable	20830 mg/kg	Non-applicable
	Inhalation	7,29 mg/m ³	Non-applicable	7,29 mg/m ³	Non-applicable
Coumarin CAS: 91-64-5 EC: 202-086-7	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,84 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	0,741 mg/m ³	Non-applicable
2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra CAS: 80-54-6 EC: 201-289-8	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	20 mg/kg	Non-applicable	3,33 mg/kg	Non-applicable
	Inhalation	0,29 mg/m ³	0,29 mg/m ³	0,048 mg/m ³	0,048 mg/m ³

- CONTINUED ON NEXT PAGE -

FRAGRANCE OIL - PLUMERIA

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Geraniol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 106-24-1	Dermal	Non-applicable	Non-applicable	8,3 mg/kg	Non-applicable
EC: 203-377-1	Inhalation	Non-applicable	Non-applicable	29,4 mg/m ³	Non-applicable

DNEL (General population):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Benzyl benzoate	Oral	78 mg/kg	Non-applicable	0,4 mg/kg	Non-applicable
CAS: 120-51-4	Dermal	Non-applicable	Non-applicable	1,3 mg/kg	Non-applicable
EC: 204-402-9	Inhalation	25 mg/m ³	Non-applicable	1,25 mg/m ³	Non-applicable
Benzyl salicylate	Oral	Non-applicable	Non-applicable	0,45 mg/kg	Non-applicable
CAS: 118-58-1	Dermal	Non-applicable	Non-applicable	0,45 mg/kg	Non-applicable
EC: 204-262-9	Inhalation	Non-applicable	Non-applicable	0,78 mg/m ³	Non-applicable
Allyl 3-cyclohexylpropionate	Oral	Non-applicable	Non-applicable	2,1 mg/kg	Non-applicable
CAS: 2705-87-5	Dermal	Non-applicable	Non-applicable	2,1 mg/kg	Non-applicable
EC: 220-292-5	Inhalation	Non-applicable	Non-applicable	3,7 mg/m ³	Non-applicable
d-limonene	Oral	Non-applicable	Non-applicable	4,76 mg/kg	Non-applicable
CAS: 5989-27-5	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 227-813-5	Inhalation	Non-applicable	Non-applicable	8,33 mg/m ³	Non-applicable
Allyl heptanoate	Oral	Non-applicable	Non-applicable	2,3 mg/kg	Non-applicable
CAS: 142-19-8	Dermal	Non-applicable	Non-applicable	2,3 mg/kg	Non-applicable
EC: 205-527-1	Inhalation	Non-applicable	Non-applicable	4,1 mg/m ³	Non-applicable
Linalool	Oral	1,2 mg/kg	Non-applicable	0,2 mg/kg	Non-applicable
CAS: 78-70-6	Dermal	2,5 mg/kg	Non-applicable	1,25 mg/kg	Non-applicable
EC: 201-134-4	Inhalation	4,1 mg/m ³	Non-applicable	0,7 mg/m ³	Non-applicable
Benzyl alcohol	Oral	25 mg/kg	Non-applicable	5 mg/kg	Non-applicable
CAS: 100-51-6	Dermal	28,5 mg/kg	Non-applicable	5,7 mg/kg	Non-applicable
EC: 202-859-9	Inhalation	40,55 mg/m ³	Non-applicable	8,11 mg/m ³	Non-applicable
Cedryl methyl ketone	Oral	Non-applicable	Non-applicable	0,166 mg/kg	Non-applicable
CAS: 32388-55-9	Dermal	Non-applicable	Non-applicable	0,166 mg/kg	Non-applicable
EC: 251-020-3	Inhalation	Non-applicable	Non-applicable	0,289 mg/m ³	Non-applicable
Hexyl salicylate	Oral	1,25 mg/kg	Non-applicable	0,625 mg/kg	Non-applicable
CAS: 6259-76-3	Dermal	12500 mg/kg	Non-applicable	12500 mg/kg	Non-applicable
EC: 228-408-6	Inhalation	2,19 mg/m ³	Non-applicable	2,19 mg/m ³	Non-applicable
Coumarin	Oral	Non-applicable	Non-applicable	0,42 mg/kg	Non-applicable
CAS: 91-64-5	Dermal	Non-applicable	Non-applicable	0,42 mg/kg	Non-applicable
EC: 202-086-7	Inhalation	Non-applicable	Non-applicable	0,183 mg/m ³	Non-applicable
2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra	Oral	0,041 mg/kg	Non-applicable	0,007 mg/kg	Non-applicable
CAS: 80-54-6	Dermal	20 mg/kg	Non-applicable	1,67 mg/kg	Non-applicable
EC: 201-289-8	Inhalation	0,07 mg/m ³	0,07 mg/m ³	0,012 mg/m ³	0,012 mg/m ³
Geraniol	Oral	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
CAS: 106-24-1	Dermal	Non-applicable	Non-applicable	5 mg/kg	Non-applicable
EC: 203-377-1	Inhalation	Non-applicable	Non-applicable	8,7 mg/m ³	Non-applicable

PNEC:

Identification				
Benzyl benzoate	STP	100 mg/L	Fresh water	0,0168 mg/L
CAS: 120-51-4	Soil	2,12 mg/kg	Marine water	0,00168 mg/L
EC: 204-402-9	Intermittent	Non-applicable	Sediment (Fresh water)	10,66 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	1,07 mg/kg

- CONTINUED ON NEXT PAGE -

FRAGRANCE OIL - PLUMERIA

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	STP	10 mg/L	Fresh water	0,00103 mg/L
	Soil	0,021 mg/kg	Marine water	0,000103 mg/L
	Intermittent	0,0103 mg/L	Sediment (Fresh water)	0,584 mg/kg
	Oral	80 g/kg	Sediment (Marine water)	0,0584 mg/kg
4-tert-butylcyclohexyl acetate CAS: 32210-23-4 EC: 250-954-9	STP	12,2 mg/L	Fresh water	0,0053 mg/L
	Soil	0,42 mg/kg	Marine water	0,00053 mg/L
	Intermittent	0,053 mg/L	Sediment (Fresh water)	2,01 mg/kg
	Oral	66,67 g/kg	Sediment (Marine water)	0,21 mg/kg
Allyl 3-cyclohexylpropionate CAS: 2705-87-5 EC: 220-292-5	STP	0,2 mg/L	Fresh water	0,00013 mg/L
	Soil	0,00475 mg/kg	Marine water	0,000013 mg/L
	Intermittent	0,0013 mg/L	Sediment (Fresh water)	0,02413 mg/kg
	Oral	143 g/kg	Sediment (Marine water)	0,002413 mg/kg
d-limonene CAS: 5989-27-5 EC: 227-813-5	STP	1,8 mg/L	Fresh water	0,0054 mg/L
	Soil	0,262 mg/kg	Marine water	0,00054 mg/L
	Intermittent	Non-applicable	Sediment (Fresh water)	1,32 mg/kg
	Oral	3,33 g/kg	Sediment (Marine water)	0,13 mg/kg
Allyl heptanoate CAS: 142-19-8 EC: 205-527-1	STP	10 mg/L	Fresh water	0,00012 mg/L
	Soil	0,00233 mg/kg	Marine water	0,000012 mg/L
	Intermittent	0,0012 mg/L	Sediment (Fresh water)	0,012 mg/kg
	Oral	51,78 g/kg	Sediment (Marine water)	0,0012 mg/kg
Linalool CAS: 78-70-6 EC: 201-134-4	STP	10 mg/L	Fresh water	0,2 mg/L
	Soil	0,327 mg/kg	Marine water	0,02 mg/L
	Intermittent	2 mg/L	Sediment (Fresh water)	2,22 mg/kg
	Oral	7,8 g/kg	Sediment (Marine water)	0,222 mg/kg
Benzyl alcohol CAS: 100-51-6 EC: 202-859-9	STP	39 mg/L	Fresh water	1 mg/L
	Soil	0,456 mg/kg	Marine water	0,1 mg/L
	Intermittent	2,3 mg/L	Sediment (Fresh water)	5,27 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,527 mg/kg
Cedryl methyl ketone CAS: 32388-55-9 EC: 251-020-3	STP	10 mg/L	Fresh water	0,00174 mg/L
	Soil	4,87 mg/kg	Marine water	0,000174 mg/L
	Intermittent	0,0086 mg/L	Sediment (Fresh water)	24,4 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	2,44 mg/kg
Hexyl salicylate CAS: 6259-76-3 EC: 228-408-6	STP	10 mg/L	Fresh water	0,000357 mg/L
	Soil	0,0542 mg/kg	Marine water	0,0000357 mg/L
	Intermittent	0,00357 mg/L	Sediment (Fresh water)	0,272 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0272 mg/kg
Coumarin CAS: 91-64-5 EC: 202-086-7	STP	10 mg/L	Fresh water	0,0056 mg/L
	Soil	0,0217 mg/kg	Marine water	0,00056 mg/L
	Intermittent	0,056 mg/L	Sediment (Fresh water)	0,207 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0207 mg/kg
2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra CAS: 80-54-6 EC: 201-289-8	STP	1,049 mg/L	Fresh water	0,00204 mg/L
	Soil	0,0463 mg/kg	Marine water	0,00024 mg/L
	Intermittent	0,0204 mg/L	Sediment (Fresh water)	0,0584 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00584 mg/kg
Geraniol CAS: 106-24-1 EC: 203-377-1	STP	0,7 mg/L	Fresh water	0,0108 mg/L
	Soil	0,0167 mg/kg	Marine water	0,00108 mg/L
	Intermittent	0,108 mg/L	Sediment (Fresh water)	0,115 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0115 mg/kg

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

- CONTINUED ON NEXT PAGE -



FRAGRANCE OIL - PLUMERIA

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)



In accordance with the order of importance to control professional exposure (Directive 98/24/EC) it is recommended to use localized extraction in the work area as a collective protection measure to avoid exceeding the occupational exposure limits. In case of using personal protective equipment it should have CE marking in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For additional information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection



Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory respiratory tract protection	Filter mask for gases and vapours	 CAT III	EN 405:2001+A1:2009	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

C.- Specific protection for the hands



Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory hand protection	Protective gloves against minor risks	 CAT I		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420 and EN 374.

"As the product is a mixture of several substances, the resistance of the glove material can not be predicted in advance with total reliability and has therefore to be checked prior to the application"



D.- Ocular and facial protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory face protection	Panoramic glasses against splash/projections.	 CAT II	EN 166:2001 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	 CAT I		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	 CAT II	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
 Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	 Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	10,3 % weight
V.O.C. density at 20 °C:	108,91 kg/m ³ (108,91 g/L)
Average carbon number:	9,71
Average molecular weight:	159,85 g/mol

- CONTINUED ON NEXT PAGE -

FRAGRANCE OIL - PLUMERIA

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C:	Liquid
Appearance:	Not available
Colour:	Yellow
Odour:	Not available
Odour threshold:	Non-applicable *

Volatility:

Boiling point at atmospheric pressure:	281 °C
Vapour pressure at 20 °C:	16 Pa
Vapour pressure at 50 °C:	103,38 Pa (0,1 kPa)
Evaporation rate at 20 °C:	Non-applicable *

Product description:

Density at 20 °C:	1057,4 kg/m ³
Relative density at 20 °C:	1,057
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	Non-applicable *
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *
Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *

Flammability:

Flash Point:	127 °C
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	235 °C
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *

Explosive:

Lower explosive limit:	Non-applicable *
Upper explosive limit:	Non-applicable *

9.2 Other information:

Surface tension at 20 °C:	Non-applicable *
Refraction index:	Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

- CONTINUED ON NEXT PAGE -

FRAGRANCE OIL - PLUMERIA

SECTION 10: STABILITY AND REACTIVITY (continued)

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Inhalation after prolonged exposure may be lethal.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for skin contact. For more information see section 3.
- Contact with the eyes: Produces eye damage after contact.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
IARC: d-limonene (3); Coumarin (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
- Cutaneous: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- CONTINUED ON NEXT PAGE -

FRAGRANCE OIL - PLUMERIA

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	LD50 oral	1500 mg/kg	Rat
	LD50 dermal	4000 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	LD50 oral	2200 mg/kg	Rat
	LD50 dermal	14150 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
Hexyl cinnam-aldehyde CAS: 101-86-0 EC: 202-983-3	LD50 oral	3100 mg/kg	Rat
	LD50 dermal	3000 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
Allyl 3-cyclohexylpropionate CAS: 2705-87-5 EC: 220-292-5	LD50 oral	480 mg/kg	Rat
	LD50 dermal	1600 mg/kg (ATEi)	Rat
	LC50 inhalation	11 mg/L (4 h) (ATEi)	
d-limonene CAS: 5989-27-5 EC: 227-813-5	LD50 oral	4400 mg/kg	Rat
	LD50 dermal	5100 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
Allyl heptanoate CAS: 142-19-8 EC: 205-527-1	LD50 oral	218 mg/kg	Rat
	LD50 dermal	810 mg/kg (ATEi)	Rabbit
	LC50 inhalation	3 mg/L (4 h) (ATEi)	
Linalool CAS: 78-70-6 EC: 201-134-4	LD50 oral	3000 mg/kg	Rat
	LD50 dermal	5610 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
Benzyl alcohol CAS: 100-51-6 EC: 202-859-9	LD50 oral	500 mg/kg	Rat
	LD50 dermal	2500 mg/kg (ATEi)	
	LC50 inhalation	11 mg/L (4 h) (ATEi)	
Methyl anthranilate CAS: 134-20-3 EC: 205-132-4	LD50 oral	2910 mg/kg	Rat
	LD50 dermal	5100 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
Coumarin CAS: 91-64-5 EC: 202-086-7	LD50 oral	293 mg/kg	Rat
	LD50 dermal	293 mg/kg (ATEi)	Rat
	LC50 inhalation	3 mg/L (4 h) (ATEi)	
4-tert-butylcyclohexyl acetate CAS: 32210-23-4 EC: 250-954-9	LD50 oral	3370 mg/kg	
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
2-ethyl-3-hydroxy-4-pyrone CAS: 4940-11-8 EC: 225-582-5	LD50 oral	1200 mg/kg	Rat
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
Allyl (3-methylbutoxy)acetate CAS: 67634-00-8 EC: 266-803-5	LD50 oral	500 mg/kg (ATEi)	
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
Hexyl salicylate CAS: 6259-76-3 EC: 228-408-6	LD50 oral	5500 mg/kg	Rat
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	

- CONTINUED ON NEXT PAGE -



FRAGRANCE OIL - PLUMERIA

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	Acute toxicity		Genus
2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra CAS: 80-54-6 EC: 201-289-8	LD50 oral	1390 mg/kg	Rat
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
Geraniol CAS: 106-24-1 EC: 203-377-1	LD50 oral	4200 mg/kg	Rat
	LD50 dermal	5100 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
Benzyl cinnamate CAS: 103-41-3 EC: 203-109-3	LD50 oral	3280 mg/kg	Rat
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	

Acute Toxicity Estimate (ATE mix):

ATE mix		Ingredient(s) of unknown toxicity
Oral	1594,8 mg/kg (Calculation method)	24,43 %
Dermal	9759,32 mg/kg (Calculation method)	35,03 %
Inhalation	6,43 mg/L (4 h) (Calculation method)	91,28 %

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Identification	Acute toxicity		Species	Genus
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	LC50	2.32 mg/L (96 h)	Danio rerio	Fish
	EC50	3.1 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	0.36 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	LC50	1.03 mg/L (96 h)	Brachydanio rerio	Fish
	EC50	1.2 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	1.3 mg/L (72 h)	Selenastrum capricornutum	Algae
Hexyl cinnam-aldehyde CAS: 101-86-0 EC: 202-983-3	LC50	0.1 - 1 mg/L (96 h)		Fish
	EC50	0.1 - 1 mg/L		Crustacean
	EC50	0.1 - 1 mg/L		Algae
Allyl 3-cyclohexylpropionate CAS: 2705-87-5 EC: 220-292-5	LC50	0.13 mg/L (96 h)	Pimephales promelas	Fish
	EC50	3.8 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	3 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one CAS: 54464-57-2 EC: 259-174-3	LC50	0.1 - 1 mg/L (96 h)		Fish
	EC50	0.1 - 1 mg/L		Crustacean
	EC50	0.1 - 1 mg/L		Algae
d-limonene CAS: 5989-27-5 EC: 227-813-5	LC50	0.702 mg/L (96 h)	Pimephales promelas	Fish
	EC50	0.577 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	Non-applicable		
Allyl heptanoate CAS: 142-19-8 EC: 205-527-1	LC50	0.1 - 1 mg/L (96 h)		Fish
	EC50	0.1 - 1 mg/L		Crustacean
	EC50	0.1 - 1 mg/L		Algae
Linalool CAS: 78-70-6 EC: 201-134-4	LC50	27.8 mg/L (96 h)	Oncorhynchus mykiss	Fish
	EC50	59 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	88.3 mg/L (96 h)	Scenedesmus subspicatus	Algae
Benzyl alcohol CAS: 100-51-6 EC: 202-859-9	LC50	646 mg/L (48 h)	Leuciscus idus	Fish
	EC50	400 mg/L (24 h)	Daphnia magna	Crustacean
	EC50	79 mg/L (3 h)	Scenedesmus subspicatus	Algae
Methyl anthranilate CAS: 134-20-3 EC: 205-132-4	LC50	9.12 mg/L (96 h)	Lepomis macrochirus	Fish
	EC50	18.2 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	Non-applicable		

- CONTINUED ON NEXT PAGE -

FRAGRANCE OIL - PLUMERIA

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Acute toxicity		Species	Genus
Cedryl methyl ketone CAS: 32388-55-9 EC: 251-020-3	LC50	0.1 - 1 mg/L (96 h)		Fish
	EC50	0.1 - 1 mg/L		Crustacean
	EC50	0.1 - 1 mg/L		Algae
Hexyl salicylate CAS: 6259-76-3 EC: 228-408-6	LC50	0.1 - 1 mg/L (96 h)		Fish
	EC50	0.1 - 1 mg/L		Crustacean
	EC50	0.1 - 1 mg/L		Algae
Coumarin CAS: 91-64-5 EC: 202-086-7	LC50	1.3 mg/L (96 h)	QSAR	Fish
	EC50	8 mg/L (48 h)	QSAR	Fish
	EC50	1.4 mg/L (96 h)	QSAR	Fish
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3	LC50	1 - 10 mg/L (96 h)		Fish
	EC50	1 - 10 mg/L		Crustacean
	EC50	1 - 10 mg/L		Algae
2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra CAS: 80-54-6 EC: 201-289-8	LC50	2 mg/L (96 h)	Danio rerio	Fish
	EC50	11 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	29 mg/L (72 h)	Desmodesmus subspicatus	Algae
Benzyl cinnamate CAS: 103-41-3 EC: 203-109-3	LC50	1 - 10 mg/L (96 h)		Fish
	EC50	1 - 10 mg/L		Crustacean
	EC50	1 - 10 mg/L		Algae

12.2 Persistence and degradability:

Identification	Degradability		Biodegradability	
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	94 %
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	93 %
Allyl 3-cyclohexylpropionate CAS: 2705-87-5 EC: 220-292-5	BOD5	Non-applicable	Concentration	5 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	86 %
d-limonene CAS: 5989-27-5 EC: 227-813-5	BOD5	Non-applicable	Concentration	Non-applicable
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	100 %
Linalool CAS: 78-70-6 EC: 201-134-4	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	0.55	% Biodegradable	90 %
Benzyl alcohol CAS: 100-51-6 EC: 202-859-9	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	14 days
	BOD5/COD	Non-applicable	% Biodegradable	94 %
Coumarin CAS: 91-64-5 EC: 202-086-7	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	100 %
2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra CAS: 80-54-6 EC: 201-289-8	BOD5	Non-applicable	Concentration	20 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	81 %
Geraniol CAS: 106-24-1 EC: 203-377-1	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	21 days
	BOD5/COD	Non-applicable	% Biodegradable	70 %

12.3 Bioaccumulative potential:

Identification	Bioaccumulation potential	
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	BCF	193
	Pow Log	4
	Potential	High

- CONTINUED ON NEXT PAGE -

FRAGRANCE OIL - PLUMERIA

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Bioaccumulation potential	
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	BCF	311
	Pow Log	4
	Potential	High
Hexyl cinnam-aldehyde CAS: 101-86-0 EC: 202-983-3	BCF	17
	Pow Log	
	Potential	Low
Allyl 3-cyclohexylpropionate CAS: 2705-87-5 EC: 220-292-5	BCF	860
	Pow Log	4.28
	Potential	High
d-limonene CAS: 5989-27-5 EC: 227-813-5	BCF	660
	Pow Log	4.83
	Potential	High
Linalool CAS: 78-70-6 EC: 201-134-4	BCF	39
	Pow Log	2.97
	Potential	Moderate
Benzyl alcohol CAS: 100-51-6 EC: 202-859-9	BCF	0.3
	Pow Log	1.1
	Potential	Low
Methyl anthranilate CAS: 134-20-3 EC: 205-132-4	BCF	6
	Pow Log	1.88
	Potential	Low
2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra CAS: 80-54-6 EC: 201-289-8	BCF	275
	Pow Log	4.2
	Potential	High
Geraniol CAS: 106-24-1 EC: 203-377-1	BCF	110
	Pow Log	3.56
	Potential	High

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	Koc	6310	Henry	Non-applicable
	Conclusion	Immobile	Dry soil	Non-applicable
	Surface tension	4,626E-2 N/m (25 °C)	Moist soil	Non-applicable
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	Koc	5600	Henry	Non-applicable
	Conclusion	Immobile	Dry soil	Non-applicable
	Surface tension	Non-applicable	Moist soil	Non-applicable
Allyl 3-cyclohexylpropionate CAS: 2705-87-5 EC: 220-292-5	Koc	1820	Henry	Non-applicable
	Conclusion	Low	Dry soil	Non-applicable
	Surface tension	Non-applicable	Moist soil	Non-applicable
d-limonene CAS: 5989-27-5 EC: 227-813-5	Koc	6324	Henry	Non-applicable
	Conclusion		Dry soil	Non-applicable
	Surface tension	2,675E-2 N/m (25 °C)	Moist soil	Non-applicable
Benzyl alcohol CAS: 100-51-6 EC: 202-859-9	Koc	Non-applicable	Henry	Non-applicable
	Conclusion	Non-applicable	Dry soil	Non-applicable
	Surface tension	3,679E-2 N/m (25 °C)	Moist soil	Non-applicable
2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra CAS: 80-54-6 EC: 201-289-8	Koc	1285	Henry	2,52 Pa·m ³ /mol
	Conclusion	Low	Dry soil	Yes
	Surface tension	Non-applicable	Moist soil	Yes

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

- CONTINUED ON NEXT PAGE -

FRAGRANCE OIL - PLUMERIA

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP6 Acute Toxicity, HP13 Sensitising, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2019 and RID 2019:



14.1	UN number:	UN2810
14.2	UN proper shipping name:	TOXIC LIQUID, ORGANIC, N.O.S. (Allyl heptanoate; Benzyl benzoate)
14.3	Transport hazard class(es):	6.1
	Labels:	6.1
14.4	Packing group:	III
14.5	Environmental hazards:	Yes
14.6	Special precautions for user	
	Special regulations:	274, 315, 614
	Tunnel restriction code:	E
	Physico-Chemical properties:	see section 9
	Limited quantities:	5 L
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable

Transport of dangerous goods by sea:

With regard to IMDG 38-16:



14.1	UN number:	UN2810
14.2	UN proper shipping name:	TOXIC LIQUID, ORGANIC, N.O.S. (Allyl heptanoate; Benzyl benzoate)
14.3	Transport hazard class(es):	6.1
	Labels:	6.1
14.4	Packing group:	III
14.5	Environmental hazards:	Yes
14.6	Special precautions for user	
	Special regulations:	274, 223
	EmS Codes:	F-A, S-A
	Physico-Chemical properties:	see section 9
	Limited quantities:	5 L
	Segregation group:	Non-applicable
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable

Transport of dangerous goods by air:

With regard to IATA/ICAO 2019:

- CONTINUED ON NEXT PAGE -



FRAGRANCE OIL - PLUMERIA

SECTION 14: TRANSPORT INFORMATION (continued)



14.1 UN number:	UN2810
14.2 UN proper shipping name:	TOXIC LIQUID, ORGANIC, N.O.S. (Allyl heptanoate; Benzyl benzoate)
14.3 Transport hazard class(es):	6.1
Labels:	6.1
14.4 Packing group:	III
14.5 Environmental hazards:	Yes
14.6 Special precautions for user	
Physico-Chemical properties:	see section 9
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains Benzyl alcohol.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Benzyl alcohol (Product-type 6) ; Geraniol (Product-type 18, 19)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Sveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
H2		50	200
E1		100	200

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

Other information:

UFI:01G0-Q0CH-E001-KNTY

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H400: Very toxic to aquatic life

H411: Toxic to aquatic life with long lasting effects

H317: May cause an allergic skin reaction

H302: Harmful if swallowed

H331: Toxic if inhaled

H319: Causes serious eye irritation

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

- CONTINUED ON NEXT PAGE -

FRAGRANCE OIL - PLUMERIA**SECTION 16: OTHER INFORMATION (continued)****CLP Regulation (EC) No 1272/2008:**

Acute Tox. 3: H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled
Acute Tox. 4: H302 - Harmful if swallowed
Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled
Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled
Aquatic Acute 1: H400 - Very toxic to aquatic life
Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects
Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects
Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways
Eye Dam. 1: H318 - Causes serious eye damage
Eye Irrit. 2: H319 - Causes serious eye irritation
Flam. Liq. 3: H226 - Flammable liquid and vapour
Repr. 2: H361 - Suspected of damaging fertility or the unborn child
Skin Irrit. 2: H315 - Causes skin irritation
Skin Sens. 1: H317 - May cause an allergic skin reaction
Skin Sens. 1B: H317 - May cause an allergic skin reaction

Classification procedure:

Aquatic Acute 1: Calculation method
Aquatic Chronic 2: Calculation method
Skin Sens. 1B: Calculation method
Acute Tox. 4: Calculation method
Acute Tox. 3: Calculation method
Eye Irrit. 2: Calculation method

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

<http://echa.europa.eu>
<http://eur-lex.europa.eu>

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road
IMDG: International maritime dangerous goods code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
COD: Chemical Oxygen Demand
BOD5: 5-day biochemical oxygen demand
BCF: Bioconcentration factor
LD50: Lethal Dose 50
LC50: Lethal Concentration 50
EC50: Effective concentration 50
Log-POW: Octanol-water partition coefficient
Koc: Partition coefficient of organic carbon