


## FRA-108 - ABSINTHE

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** FRA-108 - ABSINTHE
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
Relevant uses: Product fragrance mixture  
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**  
Fleurs d'Arômes  
3A, Avenue Berton  
7333 Tertre - Hainaut - Belgique  
Phone.: 0032479433347  
fleursdaromes@hotmail.com  
<https://www.fleursdaromes.be/>
- 1.4 Emergency telephone number:** Centre antipoisons: 070/245.245

### SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture:**  
**CLP Regulation (EC) No 1272/2008:**  
Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.  
Acute Tox. 4: Acute inhalation toxicity, Category 4, H332  
Aquatic Acute 1: Hazardous to the aquatic environment, acute hazard, Category 1, H400  
Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411  
Carc. 1A: Carcinogenicity, Category 1A, H350  
Eye Irrit. 2: Eye irritation, Category 2, H319  
Muta. 2: Germ cell mutagenicity, Category 2, H341  
Skin Irrit. 2: Skin irritation, Category 2, H315  
Skin Sens. 1B: Sensitisation, skin, Category 1B, H317
- 2.2 Label elements:**  
**CLP Regulation (EC) No 1272/2008:**  
**Danger**
- 
- Hazard statements:**  
Acute Tox. 4: H332 - Harmful if inhaled  
Aquatic Acute 1: H400 - Very toxic to aquatic life  
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects  
Carc. 1A: H350 - May cause cancer  
Eye Irrit. 2: H319 - Causes serious eye irritation  
Muta. 2: H341 - Suspected of causing genetic defects  
Skin Irrit. 2: H315 - Causes skin irritation  
Skin Sens. 1B: H317 - May cause an allergic skin reaction
- Precautionary statements:**  
P101: If medical advice is needed, have product container or label at hand  
P102: Keep out of reach of children  
P264: Wash thoroughly after handling  
P280: Wear protective gloves/protective clothing/eye protection/face protection  
P302+P352: IF ON SKIN: Wash with plenty of water  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P501: Dispose of contents/container according to the separated collection system used in your municipality
- Supplementary information:**  
Contains 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, Benzyl salicylate, Cedryl methyl ketone, Cinnamomum verum bark extract ceylon, Cinnamyl alcohol, Linalyl acetate, Orange, sweet, ext., A-methylcinnamaldehyde
- Additional Labelling (Annex XVII, REACH):**  
Restricted to professional users

- CONTINUED ON NEXT PAGE -

## FRA-108 - ABSINTHE

### SECTION 2: HAZARDS IDENTIFICATION (continued)

#### Acute Toxicity Estimate (ATE mix):

32 % (oral), 62 % (inhalation) of the mixture consists of ingredient(s) of unknown toxicity

#### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable

#### 3.2 Mixture:

**Chemical description:** Mixture of substances

#### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification	Concentration
CAS: 120-51-4 EC: 204-402-9 Index: 607-085-00-9 REACH: 01-2119976371-33-XXXX	<b>Benzyl benzoate<sup>(1)</sup></b> Self-classified Regulation 1272/2008 Acute Tox. 4: H302+H312; Aquatic Acute 1: H400; Aquatic Chronic 2: H411 - Warning	25 - <50 %
CAS: 54464-57-2 EC: 259-174-3 Index: Non-applicable REACH: Non-applicable	<b>1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one<sup>(1)</sup></b> Self-classified Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	10 - <25 %
CAS: 118-58-1 EC: 204-262-9 Index: Non-applicable REACH: 01-2119969442-31-XXXX	<b>Benzyl salicylate<sup>(1)</sup></b> Self-classified Regulation 1272/2008 Acute Tox. 4: H332; Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Sens. 1B: H317; STOT SE 2: H371 - Warning	5 - <10 %
CAS: 78-70-6 EC: 201-134-4 Index: 603-235-00-2 REACH: 01-2119474016-42-XXXX	<b>Linalool<sup>(1)</sup></b> Self-classified Regulation 1272/2008 Acute Tox. 4: H332; Aquatic Acute 1: H400; Eye Irrit. 2: H319; Flam. Liq. 3: H226; Skin Irrit. 2: H315 - Warning	5 - <10 %
CAS: 115-95-7 EC: 204-116-4 Index: Non-applicable REACH: 01-2119454789-19-XXXX	<b>Linalyl acetate<sup>(1)</sup></b> Self-classified Regulation 1272/2008 Aquatic Acute 1: H400; Eye Irrit. 2: H319; Flam. Liq. 3: H226; Flam. Sol. 1: H228; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	5 - <10 %
CAS: 101-39-3 EC: 202-938-8 Index: Non-applicable REACH: 01-2119538797-21-XXXX	<b>A-methylcinnamaldehyde<sup>(1)</sup></b> Self-classified Regulation 1272/2008 Acute Tox. 4: H332; Aquatic Chronic 2: H411; Skin Sens. 1: H317 - Warning	5 - <10 %
CAS: 32388-55-9 EC: 251-020-3 Index: Non-applicable REACH: 01-2119969651-28-XXXX	<b>Cedryl methyl ketone<sup>(1)</sup></b> Self-classified Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Sens. 1B: H317 - Warning	5 - <10 %
CAS: 68647-72-3 EC: 232-433-8 Index: Non-applicable REACH: 01-2119493353-35-XXXX	<b>Orange, sweet, ext.<sup>(1)</sup></b> Self-classified Regulation 1272/2008 Acute Tox. 4: H332; Aquatic Chronic 3: H412; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	5 - <10 %
CAS: 8015-91-6 EC: 616-967-2 Index: Non-applicable REACH: Non-applicable	<b>Cinnamomum verum bark extract ceylon<sup>(1)</sup></b> Self-classified Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 3: H412; Care. 1A: H350; Eye Irrit. 2: H319; Flam. Liq. 3: H226; Muta. 2: H341; Skin Irrit. 2: H315; Skin Sens. 1: H317; STOT SE 3: H335 - Danger	5 - <10 %
CAS: 121-32-4 EC: 204-464-7 Index: Non-applicable REACH: 01-2119958961-24-XXXX	<b>3-ethoxy-4-hydroxybenzaldehyde<sup>(1)</sup></b> Self-classified Regulation 1272/2008 Acute Tox. 4: H332; Aquatic Acute 1: H400; Eye Irrit. 2: H319 - Warning	5 - <10 %
CAS: 104-54-1 EC: 203-212-3 Index: Non-applicable REACH: 01-2119934496-29-XXXX	<b>Cinnamyl alcohol<sup>(1)</sup></b> Self-classified Regulation 1272/2008 Acute Tox. 4: H332; Skin Sens. 1B: H317 - Warning	5 - <10 %

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

- CONTINUED ON NEXT PAGE -



**FRA-108 - ABSINTHE**

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

**By inhalation:**

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

**By skin contact:**

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

**By eye contact:**

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

**By ingestion/aspiration:**

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

**4.2 Most important symptoms and effects, both acute and delayed:**

Acute and delayed effects are indicated in sections 2 and 11.

**4.3 Indication of any immediate medical attention and special treatment needed:**

Non-applicable

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing media:**

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use full jet water as an extinguishing agent.

**5.2 Special hazards arising from the substance or mixture:**

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

**5.3 Advice for firefighters:**

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

**Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures:**

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

**6.2 Environmental precautions:**

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

**6.3 Methods and material for containment and cleaning up:**

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

- CONTINUED ON NEXT PAGE -



**FRA-108 - ABSINTHE**

**SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)**

**6.4 Reference to other sections:**

See sections 8 and 13.

**SECTION 7: HANDLING AND STORAGE**

**7.1 Precautions for safe handling:**

**A.- Precautions for safe manipulation**

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

**B.- Technical recommendations for the prevention of fires and explosions**

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Avoid splashes and pulverizations. Consult section 10 for conditions and materials that should be avoided.

**C.- Technical recommendations to prevent ergonomic and toxicological risks**

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

**D.- Technical recommendations to prevent environmental risks**

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

**7.2 Conditions for safe storage, including any incompatibilities:**

**A.- Technical measures for storage**

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

Maximum time: 6 Months

**B.- General conditions for storage**

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

**7.3 Specific end use(s):**

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace

There are no occupational exposure limits for the substances contained in the product

**DNEL (Workers):**

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	2,6 mg/kg	Non-applicable
	Inhalation	102 mg/m <sup>3</sup>	Non-applicable	5,1 mg/m <sup>3</sup>	Non-applicable
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,9 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	3,17 mg/m <sup>3</sup>	Non-applicable
Linalool CAS: 78-70-6 EC: 201-134-4	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	5 mg/kg	Non-applicable	2,5 mg/kg	Non-applicable
	Inhalation	16,5 mg/m <sup>3</sup>	Non-applicable	2,8 mg/m <sup>3</sup>	Non-applicable
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	2,75 mg/m <sup>3</sup>	Non-applicable

- CONTINUED ON NEXT PAGE -



**FRA-108 - ABSINTHE**

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
A-methylcinnamaldehyde CAS: 101-39-3 EC: 202-938-8	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	2,21 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	13,3 mg/m <sup>3</sup>	13,3 mg/m <sup>3</sup>
Cedryl methyl ketone CAS: 32388-55-9 EC: 251-020-3	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,333 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	1,175 mg/m <sup>3</sup>	Non-applicable
Orange, sweet, ext. CAS: 68647-72-3 EC: 232-433-8	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	8,89 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	31,1 mg/m <sup>3</sup>	Non-applicable
Cinnamyl alcohol CAS: 104-54-1 EC: 203-212-3	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,997657895 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	2,27733 mg/m <sup>3</sup>	Non-applicable

**DNEL (General population):**

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	Oral	78 mg/kg	Non-applicable	0,4 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,3 mg/kg	Non-applicable
	Inhalation	25 mg/m <sup>3</sup>	Non-applicable	1,25 mg/m <sup>3</sup>	Non-applicable
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	Oral	Non-applicable	Non-applicable	0,45 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,45 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	0,78 mg/m <sup>3</sup>	Non-applicable
Linalool CAS: 78-70-6 EC: 201-134-4	Oral	1,2 mg/kg	Non-applicable	0,2 mg/kg	Non-applicable
	Dermal	2,5 mg/kg	Non-applicable	1,25 mg/kg	Non-applicable
	Inhalation	4,1 mg/m <sup>3</sup>	Non-applicable	0,7 mg/m <sup>3</sup>	Non-applicable
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	Oral	Non-applicable	Non-applicable	0,2 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	0,68 mg/m <sup>3</sup>	Non-applicable
A-methylcinnamaldehyde CAS: 101-39-3 EC: 202-938-8	Oral	Non-applicable	Non-applicable	1,1 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,11 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	3,27 mg/m <sup>3</sup>	3,27 mg/m <sup>3</sup>
Cedryl methyl ketone CAS: 32388-55-9 EC: 251-020-3	Oral	Non-applicable	Non-applicable	0,166 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,166 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	0,289 mg/m <sup>3</sup>	Non-applicable
Orange, sweet, ext. CAS: 68647-72-3 EC: 232-433-8	Oral	Non-applicable	Non-applicable	4,44 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	4,44 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	7,78 mg/m <sup>3</sup>	Non-applicable
Cinnamyl alcohol CAS: 104-54-1 EC: 203-212-3	Oral	Non-applicable	Non-applicable	3,995315789 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,492608696 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	0,5665 mg/m <sup>3</sup>	Non-applicable

**PNEC:**

Identification					
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	STP	100 mg/L	Fresh water	0,0168 mg/L	
	Soil	2,12 mg/kg	Marine water	0,00168 mg/L	
	Intermittent	Non-applicable	Sediment (Fresh water)	10,66 mg/kg	
	Oral	Non-applicable	Sediment (Marine water)	1,07 mg/kg	
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	STP	10 mg/L	Fresh water	0,00103 mg/L	
	Soil	0,021 mg/kg	Marine water	0,000103 mg/L	
	Intermittent	0,0103 mg/L	Sediment (Fresh water)	0,584 mg/kg	
	Oral	80 g/kg	Sediment (Marine water)	0,0584 mg/kg	

- CONTINUED ON NEXT PAGE -

**FRA-108 - ABSINTHE**

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

Identification				
Linalool CAS: 78-70-6 EC: 201-134-4	STP	10 mg/L	Fresh water	0,2 mg/L
	Soil	0,327 mg/kg	Marine water	0,02 mg/L
	Intermittent	2 mg/L	Sediment (Fresh water)	2,22 mg/kg
	Oral	7,8 g/kg	Sediment (Marine water)	0,222 mg/kg
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	STP	10 mg/L	Fresh water	0,011 mg/L
	Soil	0,115 mg/kg	Marine water	0,0011 mg/L
	Intermittent	0,11 mg/L	Sediment (Fresh water)	0,609 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0609 mg/kg
A-methylcinnamaldehyde CAS: 101-39-3 EC: 202-938-8	STP	3,66 mg/L	Fresh water	0,0012 mg/L
	Soil	0,0071 mg/kg	Marine water	0,00012 mg/L
	Intermittent	0,012 mg/L	Sediment (Fresh water)	0,0404 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00404 mg/kg
Cedryl methyl ketone CAS: 32388-55-9 EC: 251-020-3	STP	10 mg/L	Fresh water	0,00174 mg/L
	Soil	4,87 mg/kg	Marine water	0,000174 mg/L
	Intermittent	0,0086 mg/L	Sediment (Fresh water)	24,4 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	2,44 mg/kg
Orange, sweet, ext. CAS: 68647-72-3 EC: 232-433-8	STP	2,1 mg/L	Fresh water	0,0054 mg/L
	Soil	0,261 mg/kg	Marine water	0,00054 mg/L
	Intermittent	0,00577 mg/L	Sediment (Fresh water)	1,3 mg/kg
	Oral	13,3 g/kg	Sediment (Marine water)	0,13 mg/kg
3-ethoxy-4-hydroxybenzaldehyde CAS: 121-32-4 EC: 204-464-7	STP	10 mg/L	Fresh water	0,118 mg/L
	Soil	2,923 mg/kg	Marine water	0,0118 mg/L
	Intermittent	Non-applicable	Sediment (Fresh water)	15 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	1,5 mg/kg
Cinnamyl alcohol CAS: 104-54-1 EC: 203-212-3	STP	16,127 mg/L	Fresh water	0,109 mg/L
	Soil	0,185 mg/kg	Marine water	0,0109 mg/L
	Intermittent	1,09 mg/L	Sediment (Fresh water)	220,1880224 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	220,1880224 mg/kg

**8.2 Exposure controls:**

**A.- General security and hygiene measures in the work place**



As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

**B.- Respiratory protection**



The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

**C.- Specific protection for the hands**

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory hand protection	Protective gloves against minor risks			Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2003+A1:2009 and EN ISO 374-1:2016

"As the product is a mixture of several substances, the resistance of the glove material can not be predicted in advance with total reliability and has therefore to be checked prior to the application"

**D.- Ocular and facial protection**



Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2001 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

**E.- Body protection**



- CONTINUED ON NEXT PAGE -

**FRA-108 - ABSINTHE**

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing			Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

**F.- Additional emergency measures**

Emergency measure	Standards	Emergency measure	Standards
 Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	 Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

**Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

**Volatile organic compounds:**

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	14 % weight
V.O.C. density at 20 °C:	144,02 kg/m <sup>3</sup> (144,02 g/L)
Average carbon number:	10
Average molecular weight:	145,25 g/mol

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties:**

For complete information see the product datasheet.

**Appearance:**

Physical state at 20 °C:	Liquid
Appearance:	Not available
Colour:	Not available
Odour:	Not available
Odour threshold:	Non-applicable *

**Volatility:**

Boiling point at atmospheric pressure:	263 °C
Vapour pressure at 20 °C:	14 Pa
Vapour pressure at 50 °C:	118,37 Pa (0,12 kPa)
Evaporation rate at 20 °C:	Non-applicable *

**Product description:**

Density at 20 °C:	1028,7 kg/m <sup>3</sup>
Relative density at 20 °C:	1,029
Dynamic viscosity at 20 °C:	1,89 cP
Kinematic viscosity at 20 °C:	1,84 cSt
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	Non-applicable *

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

## FRA-108 - ABSINTHE

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *
Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
<b>Flammability:</b>	
Flash Point:	85 °C
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	235 °C
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *
<b>Explosive:</b>	
Lower explosive limit:	Non-applicable *
Upper explosive limit:	Non-applicable *
<b>9.2 Other information:</b>	
Surface tension at 20 °C:	Non-applicable *
Refraction index:	Non-applicable *

\*Not relevant due to the nature of the product, not providing information property of its hazards.

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

#### 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

#### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

- CONTINUED ON NEXT PAGE -



**FRA-108 - ABSINTHE**

**SECTION 11: TOXICOLOGICAL INFORMATION (continued)**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

**A- Ingestion (acute effect):**

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

**B- Inhalation (acute effect):**

- Acute toxicity : Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.

**C- Contact with the skin and the eyes (acute effect):**

- Contact with the skin: Produces skin inflammation.
- Contact with the eyes: Produces eye damage after contact.

**D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):**

- Carcinogenicity: Exposure to this product can cause cancer. For more specific information on the possible health effects see section 2. IARC: Non-applicable
- Mutagenicity: Exposure to this product can cause genetic modifications. For more specific information on the possible health effects see section 2.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

**E- Sensitizing effects:**

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
- Cutaneous: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.

**F- Specific target organ toxicity (STOT) - single exposure:**

Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.

**G- Specific target organ toxicity (STOT)-repeated exposure:**

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

**H- Aspiration hazard:**

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

**Other information:**

Non-applicable

**Specific toxicology information on the substances:**

Identification	Acute toxicity		Genus
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	LD50 oral	1500 mg/kg	Rat
	LD50 dermal	4000 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	LD50 oral	2200 mg/kg	Rat
	LD50 dermal	14150 mg/kg (ATEi)	Rabbit
	LC50 inhalation	11 mg/L (4 h) (ATEi)	
Linalool CAS: 78-70-6 EC: 201-134-4	LD50 oral	3000 mg/kg	Rat
	LD50 dermal	5610 mg/kg (ATEi)	Rabbit
	LC50 inhalation	11 mg/L (4 h) (ATEi)	
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	LD50 oral	14500 mg/kg	Rat
	LD50 dermal	5610 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	

- CONTINUED ON NEXT PAGE -

**FRA-108 - ABSINTHE**

**SECTION 11: TOXICOLOGICAL INFORMATION (continued)**

Identification	Acute toxicity		Genus
A-methylcinnamaldehyde CAS: 101-39-3 EC: 202-938-8	LD50 oral	2050 mg/kg	Rat
	LD50 dermal	Non-applicable	
	LC50 inhalation	11 mg/L (4 h) (ATEi)	
3-ethoxy-4-hydroxybenzaldehyde CAS: 121-32-4 EC: 204-464-7	LD50 oral	3000 mg/kg	Rat
	LD50 dermal	Non-applicable	
	LC50 inhalation	11 mg/L (4 h) (ATEi)	
Cinnamyl alcohol CAS: 104-54-1 EC: 203-212-3	LD50 oral	2500 mg/kg	Rat
	LD50 dermal	Non-applicable	
	LC50 inhalation	11 mg/L (4 h) (ATEi)	
Orange, sweet, ext. CAS: 68647-72-3 EC: 232-433-8	LD50 oral	Non-applicable	
	LD50 dermal	Non-applicable	
	LC50 inhalation	11 mg/L (4 h) (ATEi)	

**Acute Toxicity Estimate (ATE mix):**

ATE mix		Ingredient(s) of unknown toxicity
Oral	3400 mg/kg (Calculation method)	32 %
Dermal	>2000 mg/kg (Calculation method)	Non-applicable
Inhalation	11 mg/L (4 h) (Calculation method)	62 %

**SECTION 12: ECOLOGICAL INFORMATION**

The experimental information related to the eco-toxicological properties of the product itself is not available

**12.1 Toxicity:**

Identification	Acute toxicity		Species	Genus
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	LC50	0.1 - 1 mg/L (96 h)		Fish
	EC50	0.1 - 1 mg/L (48 h)		Crustacean
	EC50	0.1 - 1 mg/L (72 h)		Algae
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one CAS: 54464-57-2 EC: 259-174-3	LC50	0.1 - 1 mg/L (96 h)		Fish
	EC50	0.1 - 1 mg/L		Crustacean
	EC50	0.1 - 1 mg/L		Algae
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	LC50	10 - 100 mg/L (96 h)		Fish
	EC50	10 - 100 mg/L (48 h)		Crustacean
	EC50	10 - 100 mg/L (72 h)		Algae
Linalool CAS: 78-70-6 EC: 201-134-4	LC50	0.1 - 1 mg/L (96 h)		Fish
	EC50	0.1 - 1 mg/L (48 h)		Crustacean
	EC50	0.1 - 1 mg/L (96 h)		Algae
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	LC50	0.1 - 1 mg/L (96 h)		Fish
	EC50	0.1 - 1 mg/L (48 h)		Crustacean
	EC50	0.1 - 1 mg/L (72 h)		Algae
A-methylcinnamaldehyde CAS: 101-39-3 EC: 202-938-8	LC50	1 - 10 mg/L (96 h)		Fish
	EC50	1 - 10 mg/L		Crustacean
	EC50	1 - 10 mg/L		Algae
Cedryl methyl ketone CAS: 32388-55-9 EC: 251-020-3	LC50	0.1 - 1 mg/L (96 h)		Fish
	EC50	0.1 - 1 mg/L		Crustacean
	EC50	0.1 - 1 mg/L		Algae
Orange, sweet, ext. CAS: 68647-72-3 EC: 232-433-8	LC50	10 - 100 mg/L (96 h)		Fish
	EC50	10 - 100 mg/L		Crustacean
	EC50	10 - 100 mg/L		Algae
Cinnamomum verum bark extract ceylon CAS: 8015-91-6 EC: 616-967-2	LC50	0.1 - 1 mg/L (96 h)		Fish
	EC50	0.1 - 1 mg/L		Crustacean
	EC50	0.1 - 1 mg/L		Algae

- CONTINUED ON NEXT PAGE -

**FRA-108 - ABSINTHE**

**SECTION 12: ECOLOGICAL INFORMATION (continued)**

Identification	Acute toxicity		Species	Genus
3-ethoxy-4-hydroxybenzaldehyde CAS: 121-32-4 EC: 204-464-7	LC50	0.1 - 1 mg/L (96 h)		Fish
	EC50	0.1 - 1 mg/L		Crustacean
	EC50	0.1 - 1 mg/L		Algae

**12.2 Persistence and degradability:**

Identification	Degradability		Biodegradability	
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	94 %
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	93 %
Linalool CAS: 78-70-6 EC: 201-134-4	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	0.55	% Biodegradable	90 %
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	BOD5	Non-applicable	Concentration	81 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	80 %

**12.3 Bioaccumulative potential:**

Identification	Bioaccumulation potential	
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	BCF	193
	Pow Log	4
	Potential	High
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	BCF	311
	Pow Log	4
	Potential	High
Linalool CAS: 78-70-6 EC: 201-134-4	BCF	39
	Pow Log	2.97
	Potential	Moderate
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	BCF	174
	Pow Log	3.9
	Potential	High

**12.4 Mobility in soil:**

Identification	Absorption/desorption		Volatility	
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	Koc	6310	Henry	Non-applicable
	Conclusion	Immobile	Dry soil	Non-applicable
	Surface tension	4,626E-2 N/m (25 °C)	Moist soil	Non-applicable
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	Koc	5600	Henry	Non-applicable
	Conclusion	Immobile	Dry soil	Non-applicable
	Surface tension	Non-applicable	Moist soil	Non-applicable
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	Koc	518	Henry	177 Pa·m <sup>3</sup> /mol
	Conclusion	Low	Dry soil	Yes
	Surface tension	Non-applicable	Moist soil	Yes
3-ethoxy-4-hydroxybenzaldehyde CAS: 121-32-4 EC: 204-464-7	Koc	Non-applicable	Henry	Non-applicable
	Conclusion	Non-applicable	Dry soil	Non-applicable
	Surface tension	1,87E-2 N/m (276,18 °C)	Moist soil	Non-applicable

**12.5 Results of PBT and vPvB assessment:**

Product fails to meet PBT/vPvB criteria

**12.6 Other adverse effects:**

Not described

- CONTINUED ON NEXT PAGE -

## FRA-108 - ABSINTHE

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
07 01 04*	other organic solvents, washing liquids and mother liquors	Dangerous

#### Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP6 Acute Toxicity, HP7 Carcinogenic, HP11 Mutagenic, HP13 Sensitising, HP4 Irritant — skin irritation and eye damage

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

### SECTION 14: TRANSPORT INFORMATION

#### Transport of dangerous goods by land:

With regard to ADR 2019 and RID 2019:



- |      |   |   |
|------|---|---|
| 14.1 | UN number:  | UN3082  |
| 14.2 | UN proper shipping name:  | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate) |
| 14.3 | Transport hazard class(es):   | 9   |
|      | Labels:   | 9   |
| 14.4 | Packing group:  | III   |
| 14.5 | Environmental hazards:  | Yes   |
| 14.6 | Special precautions for user  |   |
|      | Special regulations:  | 274, 335, 375, 601  |
|      | Tunnel restriction code:  | Non-applicable  |
|      | Physico-Chemical properties:  | see section 9   |
|      | Limited quantities:   | 5 L   |
| 14.7 | Transport in bulk according to Annex II of Marpol and the IBC Code: | Non-applicable  |

#### Transport of dangerous goods by sea:

With regard to IMDG 39-18:



- |      |   |   |
|------|---|---|
| 14.1 | UN number:  | UN3082  |
| 14.2 | UN proper shipping name:  | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate) |
| 14.3 | Transport hazard class(es):   | 9   |
|      | Labels:   | 9   |
| 14.4 | Packing group:  | III   |
| 14.5 | Environmental hazards:  | Yes   |
| 14.6 | Special precautions for user  |   |
|      | Special regulations:  | 335, 969, 274   |
|      | EmS Codes:  | F-A, S-F  |
|      | Physico-Chemical properties:  | see section 9   |
|      | Limited quantities:   | 5 L   |
|      | Segregation group:  | Non-applicable  |
| 14.7 | Transport in bulk according to Annex II of Marpol and the IBC Code: | Non-applicable  |

#### Transport of dangerous goods by air:

With regard to IATA/ICAO 2020:

- CONTINUED ON NEXT PAGE -



**FRA-108 - ABSINTHE**

**SECTION 14: TRANSPORT INFORMATION (continued)**



<b>14.1 UN number:</b>	UN3082
<b>14.2 UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)
<b>14.3 Transport hazard class(es):</b>	9
Labels:	9
<b>14.4 Packing group:</b>	III
<b>14.5 Environmental hazards:</b>	Yes
<b>14.6 Special precautions for user</b>	
Physico-Chemical properties:	see section 9
<b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:</b>	Non-applicable

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

**Seveso III:**

Section	Description	Lower-tier requirements	Upper-tier requirements
E1		100	200

**Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):**

Product classified hazardous under the CMR. Sale and distribution to the general public is prohibited. Due to its CMR category, it is essential to apply the specific measures for workplace hazard prevention covered in articles 4 and 5 of the 2004/37/EC Directive and later modifications. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

**Other legislation:**

The product could be affected by sectorial legislation

**Other information:**

UFI: V690-90EH-K00D-MF6K

**15.2 Chemical safety assessment:**

The supplier has not carried out evaluation of chemical safety.

**SECTION 16: OTHER INFORMATION**

**Legislation related to safety data sheets:**

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

**Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:**

Non-applicable

**Texts of the legislative phrases mentioned in section 2:**

**FRA-108 - ABSINTHE**

**SECTION 16: OTHER INFORMATION (continued)**

H400: Very toxic to aquatic life  
H411: Toxic to aquatic life with long lasting effects  
H315: Causes skin irritation  
H317: May cause an allergic skin reaction  
H341: Suspected of causing genetic defects  
H350: May cause cancer  
H332: Harmful if inhaled  
H319: Causes serious eye irritation

**Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

**CLP Regulation (EC) No 1272/2008:**

Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin  
Acute Tox. 4: H332 - Harmful if inhaled  
Aquatic Acute 1: H400 - Very toxic to aquatic life  
Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects  
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects  
Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects  
Carc. 1A: H350 - May cause cancer  
Eye Irrit. 2: H319 - Causes serious eye irritation  
Flam. Liq. 3: H226 - Flammable liquid and vapour  
Flam. Sol. 1: H228 - Flammable solid  
Muta. 2: H341 - Suspected of causing genetic defects  
Skin Irrit. 2: H315 - Causes skin irritation  
Skin Sens. 1: H317 - May cause an allergic skin reaction  
Skin Sens. 1B: H317 - May cause an allergic skin reaction  
STOT SE 2: H371 - May cause damage to organs (Inhalation)  
STOT SE 3: H335 - May cause respiratory irritation

**Classification procedure:**

Aquatic Acute 1: Calculation method  
Aquatic Chronic 2: Calculation method  
Skin Irrit. 2: Calculation method  
Skin Sens. 1B: Calculation method  
Muta. 2: Calculation method  
Carc. 1A: Calculation method  
Acute Tox. 4: Calculation method  
Eye Irrit. 2: Calculation method

**Advice related to training:**

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

<http://echa.europa.eu>  
<http://eur-lex.europa.eu>

**Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road  
IMDG: International maritime dangerous goods code  
IATA: International Air Transport Association  
ICAO: International Civil Aviation Organisation  
COD: Chemical Oxygen Demand  
BOD5: 5-day biochemical oxygen demand  
BCF: Bioconcentration factor  
LD50: Lethal Dose 50  
LC50: Lethal Concentration 50  
EC50: Effective concentration 50  
Log-POW: Octanol-water partition coefficient  
Koc: Partition coefficient of organic carbon